	Application No.	Applicant(s) $\ell$
Notice of Allowability	09/831,552	BAKER ET AL.
	Examiner	Art Unit
	Dwayne K Handy	1743
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in the state of the s	n this application. If not included unication will be mailed in due course. THIS
1. $igspace$ This communication is responsive to <u>the amendment/ar</u>	guments submitted 6/21/2004	
2. $\boxtimes$ The allowed claim(s) is/are <u>1-24 and 34-49</u> .		
3. $igotimes$ The drawings filed on <u>11 May 2001</u> are accepted by the	Examiner.	
<ul> <li>4. Acknowledgment is made of a claim for foreign priority</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents hat</li> <li>2. Certified copies of the priority documents hat</li> <li>3. Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	ave been received. ave been received in Applicati	on No
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	E" of this communication to file NMENT of this application.	e a reply complying with the requirements
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which g</li> </ol>	omitted. Note the attached EX ives reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF or declaration is deficient.
<ol> <li>CORRECTED DRAWINGS (as "replacement sheets") m</li> <li>(a) ☐ including changes required by the Notice of Draftspe</li> </ol>		w ( PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		w (1 10-340) attached
(b) ☐ including changes required by the attached Examine Paper No./Mail Date		r in the Office action of
Identifying indicia such as the application number (see 37 CFF each sheet. Replacement sheet(s) should be labeled as such in	R 1.84(c)) should be written on t	the drawings in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMEN	posit of BIOLOGICAL MAT	ERIAL must be submitted. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Ir	nformal Patent Application (PTO-152)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SE Paper No./Mail Date</li> </ol>	Paper No. 3/08), 7. ☐ Examiner's	/Mail Date Amendment/Comment
4. ☐ Examiner's Comment Regarding Requirement for Deposi	t 8. ⊠ Examiner's	Statement of Reasons for Allowance
of Biological Material	9.	_·

Application/Control Number: 09/831,552 Page 2

Art Unit: 1743

## Allowable Subject Matter

1. Claims 1-24 and 34-49 are allowed.

2. The following is an examiner's statement of reasons for allowance.

In claim 1 applicant has claimed an apparatus for the continual production of lipid vesicles comprised of the following elements: a lipid phase storage means and a first pressurized transfer means for transferring the lipid phase from storage; an aqueous phase storage means and a second pressurized transfer means for transferring the aqueous phase from storage; a mixing device; and a dispensing means for transferring the mixed formulation from the mixing chamber. The mixing device is comprised of a first metering system for receiving the lipid phase from the first pressurized transfer means, a second metering system for receiving the aqueous phase from the second pressurized transfer means, a third pressurized transfer means for transferring the lipid phase from the first metering system to the first inlet of the pre-mixing system, a fourth pressurized transfer means for transferring the aqueous phase from the second metering system to the second inlet of the pre-mixing system, and a mixer with optional optical detector and ultrasonic energy source. The Examiner considers the reference "Baker" (6,534,018) to be the closest prior art. This reference was previously used to reject claims 1-25. This rejection has been overcome by the submission of a Terminal Disclaimer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 09/831,552 Page 3

Art Unit: 1743

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- 3. The Examiner wishes to clarify an error in the previous Office Action. In the previous Action, the Examiner rejected the instant claims under an obviousness-type Double Patenting rejection with the reference identified as U.S. Patent No. 4,781,871. This was an error since the actual U.S. Patent No. in the rejection should have been 6,534,018. The Examiner thanks applicant for noticing the error and taking the appropriate steps to correct the error with both the submission of the Terminal Disclaimer and the current response that accompanied it.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dwayne K Handy whose telephone number is (571)-272-1259. The examiner can normally be reached on M-F 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on (571)-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DKH July 22, 2004

> Supervisory Patent Examiner Technology Center 1700